

# SPECIFICATION SHEET

STYLE: 07-KA740



# Kut Gard®

Seamless Knit ACP / DuPont™ Kevlar® Blended Glove with Polyester Lining - Economy Weight

- Seamless knit construction provides comfort without sacrificing
- Prioprietary ACP Technology and Kevlar® blended shell provides excellent protection against heat, cuts, lacerations and abrasions
- Heat resistance protects the hand from minor heat and burn injuries up to 350°F, Do not use near open flame
- Polyester lining is ultra soft and very lightweight
- Knit Wrist helps prevent dirt and debris from entering the glove
- 100% Silicone Free

# **Applications**

- · Cut Resistance with Light Heat Protection
- **Automotive Applications**
- Glass Operations



#### **Technical Data**

| Color                | Green                        |
|----------------------|------------------------------|
| Sizes Available      |                              |
| Packaging            | Bulk Pack                    |
| Packed               | 12/Case                      |
| Case Dimensions (cm) | 45.70 x 30.48 x 30.48        |
| Case Weight (kg)     | 11.79                        |
| Country of Origin    | United States                |
| Liner Material       | ACP, Kevlar                  |
| Coating              | Uncoated                     |
| Gauge                | 7                            |
| Cuff                 | Knit Wrist                   |
| Hide                 |                              |
| Impact Protection    |                              |
| Construction         | Seamless Knit                |
| Certifications       | Silicone Free, TAA Compliant |

### **Performance Data**

| Cut Level                       | A4 |
|---------------------------------|----|
| ANSI Abrasion Level             | 1  |
| ANSI Puncture Level             |    |
| ANSI Impact Level               |    |
| ANSI Contact Heat Level         |    |
| EN 388                          |    |
| ASTM F1358 Vertical Flame Level |    |
| EN 407                          |    |

## **Care Instructions**









