




### G-Tek® PolyKor® X7™

18 Gauge Seamless Knit PolyKor™ X7™ Blended Glove with Latex Coated Crinkle Grip on Palm & Fingers

- Seamless construction offers increased comfort and breathability
- PolyKor® blended shell with X7™ technology offers high cut resistance and durability with ultra-thin liners
- Latex crinkle coated palm and fingertips provides superior grip in wet/dry conditions and offers abrasion resistance
- Knit Wrist helps prevent dirt and debris from entering the glove

### Applications

- Secure Wet or Dry Grip, Tear and Puncture Resistant
- Handling and Cleanup of Heavy to Medium Abrasive Parts and Materials
- Demolition
- Masonry and Tile
- Steel Rod and Metal Fastening and Assembly



### Technical Data

|                      |                                       |
|----------------------|---------------------------------------|
| Color                | Blue                                  |
| Sizes Available      | --                                    |
| Packaging            | --                                    |
| Packed               | --                                    |
| Case Dimensions (cm) | --                                    |
| Case Weight (kg)     | 0.00                                  |
| Country of Origin    | China                                 |
| Liner Material       | PolyKor X7                            |
| Coating              | Latex                                 |
| Coating Color        | Black                                 |
| Coating Coverage     | Palm & Fingers                        |
| Grip                 | Crinkle                               |
| Gauge                | 18                                    |
| Cuff                 | Knit Wrist                            |
| Impact Protection    | --                                    |
| Construction         | Coated Seamless Knit, Water Resistant |
| Certifications       | --                                    |

### Performance Data

|                                 |       |
|---------------------------------|-------|
| Cut Level                       | A5    |
| ANSI Abrasion Level             | --    |
| ANSI Puncture Level             | --    |
| ANSI Impact Level               | --    |
| ANSI Contact Heat Level         | --    |
| EN 388                          | 3X42E |
| ASTM F1358 Vertical Flame Level | --    |
| EN 407                          | --    |

### Care Instructions



Machine Wash



Water Temp 40°C



Do Not Bleach



Tumble Dry



Low Heat