



Technical Data

| | |
|----------------------|--|
| Color | Gray |
| Sizes Available | -- |
| Packaging | Pair Tagged Retail Ready |
| Packed | 12/Case |
| Case Dimensions (cm) | 50.00 x 29.50 x 27.00 |
| Case Weight (kg) | 8.80 |
| Country of Origin | Sri Lanka |
| Liner Material | Nylon, Spandex |
| Coating | Nitrile |
| Coating Color | Black |
| Coating Coverage | Full Hand |
| Grip | MicroFoam |
| Gauge | 15 |
| Cuff | Knit Wrist |
| Impact Protection | -- |
| Construction | Coated Seamless Knit, Touchscreen Compatible |
| Certifications | 21 CFR, Latex Free |

MaxiFlex® Endurance™

Seamless Knit Nylon Glove with Nitrile Coated MicroFoam Grip on Full Hand - Micro Dot Palm - Hang Tagged

- MicroFoam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance
- Raised micro dots increase durability and offer more cushioning in highly repetitive applications requiring precision handling
- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves
- Knit Wrist helps prevent dirt and debris from entering the glove
- Silicone and Latex free
- 360° Breathability - Patented micro-foam nitrile coating offers 360° breathability, making it the most breathable glove on the market today

Performance Data

| | |
|---------------------|-------|
| ANSI Abrasion Level | 3 |
| ANSI Puncture Level | 2 |
| ANSI Impact Level | -- |
| EN 388 | 4131X |
| EN 407 | -- |

Care Instructions



Machine Wash



Water Temp 40°C



Do Not Bleach



Tumble Dry



Low Heat

Applications

- Maximum Breathability, Comfort and Durability
- Handling, Assembly and Sorting of Small Parts and Materials
- Finishing and Parts Inspection

KEY: Made from recycled or bio-based Launderable Recyclable via TerraCycle®

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-06-14