

SPECIFICATION SHEET

STYLE: 34-8753V



MaxiFlex® Cut™

Seamless Knit Engineered Yarn Glove with Premium Nitrile Coated MicroFoam Grip on Palm, Fingers & Knuckles - Vend-Ready

- MicroFoam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance
- Knit Wrist helps prevent dirt and debris from entering the glove
- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves
- Innovative fibres we source our base ingredients to develop our own unique high performance yarns and fibres that offer cut protection whilst maintaining high levels of comfort.
- Reinforcement between the thumb and forefinger, improves cut resistance and extends glove life in an inherently weak area.
- 360° breathability patented micro-foam nitrile coating offers 360° breathability, making it the most breathable glove on the market today.



Technical Data

| Color | Green |
|----------------------|---|
| Sizes Available | |
| Packaging | Bulk Pack |
| Packed | |
| Case Dimensions (cm) | 50.00 x 29.50 x 20.00 |
| Case Weight (kg) | 4.00 |
| Country of Origin | Sri Lanka |
| Liner Material | Engineered Yarn |
| Coating | Nitrile |
| Coating Color | Black |
| Coating Coverage | Palm, Fingers & Knuckles |
| Grip | MicroFoam |
| Gauge | 18 |
| Cuff | Knit Wrist |
| Impact Protection | |
| Construction | Coated Seamless Knit, Reinforced Thumb Crotch, Touchscreen Compatible |
| Certifications | 21 CFR, Silicone Free, Latex Free |

Performance Data

| | - |
|---------------------------------|--------|
| Cut Level | A2 |
| ANSI Abrasion Level | 3 |
| ANSI Puncture Level | 2 |
| ANSI Impact Level | |
| ANSI Contact Heat Level | |
| EN 388 | 4331BX |
| ASTM F1358 Vertical Flame Level | |
| EN 407 | |

KEY: Made from recycled or bio-based Launderable & Recyclable via TerraCycle®