



### Boss®

#### Premium Top Grain Goatskin Leather Drivers Glove with Aramid Blend Lining and Hi-Vis Impact Protection

- Premium goatskin leather construction is the softest, most abrasion-resistant leather and is highly recommended for applications requiring tactile sensitivity
- Top grain leather is smooth, provides durability and dexterity
- Unique engineered aramid blend lining provides exceptional ANSI A6 cut resistance, while maintaining comfort and dexterity
- Stitched with Kevlar providing excellent cut protection, heat resistance and is inherently flame resistant
- Thermo Plastic Rubber (TPR) back-of-hand impact resistance to knuckles and fingers by dispersing impact force energy away from the bone
- Keystone thumb is ergonomic, reduces hand fatigue, offers superior dexterity and durability



### Technical Data

|                      |                             |
|----------------------|-----------------------------|
| Color                | Natural                     |
| Sizes Available      | --                          |
| Packaging            | Pair Tagged Retail Ready    |
| Packed               | --                          |
| Case Dimensions (cm) | --                          |
| Case Weight (kg)     | 0.00                        |
| Country of Origin    | Pakistan                    |
| Hide                 | Top Grain Goatskin          |
| Palm                 | Leather                     |
| Back                 | Leather                     |
| Thumb                | Keystone                    |
| Cuff                 | Slip-on                     |
| Closure              | Slip On                     |
| Impact Protection    | Finger, Thumb, Back of Hand |
| Construction         | Cut-and-Sewn                |
| Certifications       | --                          |

### Performance Data

|                         |       |
|-------------------------|-------|
| Cut Level               | A6    |
| ANSI Abrasion Level     | --    |
| ANSI Puncture Level     | 3     |
| ANSI Impact Level       | 2     |
| PPE Category            | --    |
| ANSI Contact Heat Level | --    |
| EN 388                  | 3X22F |

### Care Instructions



Do Not Wash