




G-Tek®

G-Tek® 13 Gauge AR seamless knit glove with Polykor®/aramid blended liner and foam neoprene coating on palm & fingers - CUT D

- Seamless knit construction provides comfort without sacrificing dexterity.
- PolyKor® blended shell with Aramid is lightweight and provides excellent dexterity, tactile sensitivity, and cut resistance while providing protection in heat resistant applications, where sparks and heat are present.
- Black neoprene foam coating provides a secure grip in dry, wet and oily conditions, infused with thousands of tiny suction cup pockets that create a vacuum effect that dispenses fluids away on contact.
- 13 Gauge.
- ARC Rating: ATPV 13 cal/cm2
- EN 407 tested Limited Flame Spread Level 4



3X42D 4131XX

Technical Data

| | |
|----------------------|----------------------|
| Color | Yellow |
| Sizes Available | -- |
| Packaging | -- |
| Packed | -- |
| Case Dimensions (cm) | -- |
| Case Weight (kg) | 0.00 |
| Country of Origin | -- |
| Liner Material | Aramid, PolyKor |
| Coating | Neoprene |
| Coating Color | Black |
| Coating Coverage | Palm & Fingers |
| Grip | Foam |
| Gauge | 13 |
| Cuff | Knit Wrist |
| Impact Protection | -- |
| Construction | Coated Seamless Knit |
| Certifications | TAA Compliant |

Performance Data

| | |
|---------------------------------|--------|
| Cut Level | -- |
| ANSI Abrasion Level | -- |
| ANSI Puncture Level | -- |
| ANSI Impact Level | -- |
| ANSI Contact Heat Level | -- |
| EN 388 | 3X42D |
| ASTM F1358 Vertical Flame Level | -- |
| EN 407 | 4131XX |

Care Instructions



Machine Wash



Water Temp 40°C



Do Not Bleach



Tumble Dry



Low Heat



Dry-clean

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: +1 (800) 262-5755 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobalsafety.com

This document and the information contained herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular purpose or use within a particular environment. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED. 2025-06-14